




[www.ain-mall.com](http://www.ain-mall.com)





### Digital Caliper

Order No.	Range	Resolution	Accuracy
CD520-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
CD520-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
CD520-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
CD530-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
CD530-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
CD530-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
CD730-150	0-150mm/0-6"	0.005mm/0.00025"	±0.02mm/±0.001"
CD730-200	0-200mm/0-8"	0.005mm/0.00025"	±0.03mm/±0.0015"
CD730-300	0-300mm/0-12"	0.005mm/0.00025"	±0.04mm/±0.0015"
CD100-75	0-75mm/0-3"	0.01mm/0.0005"	±0.02mm/±0.001"
CD100-100	0-100mm/0-4"	0.01mm/0.0005"	±0.02mm/±0.001"
CD210-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
CD210-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
CD210-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
CD310-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
CD310-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
CD310-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
CD510-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
CD510-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
CD510-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
CD710-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
CD710-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
CD710-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
CD720-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
CD720-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
CD720-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
CD810-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
CD810-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
CD810-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"

### Fraction Digital Caliper

Order No.	Range	Resolution	Accuracy
CD520F-150	0-150mm/0-6"	0.01mm/0.0005"/1/128"	±0.02mm/±0.001"/1/128"
CD520F-200	0-200mm/0-8"	0.01mm/0.0005"/1/128"	±0.03mm/±0.0015"/1/128"
CD520F-300	0-300mm/0-12"	0.01mm/0.0005"/1/128"	±0.04mm/±0.0015"/1/128"
CD730F-150	0-150mm/0-6"	0.01mm/0.0005"/1/128"	±0.02mm/±0.001"/1/128"
CD730F-200	0-200mm/0-8"	0.01mm/0.0005"/1/128"	±0.03mm/±0.0015"/1/128"
CD730F-300	0-300mm/0-12"	0.01mm/0.0005"/1/128"	±0.04mm/±0.0015"/1/128"

### Poly Caliper

Order No.	Range	Resolution	Accuracy
PC710-150	0-150mm/0-6"	0.01mm/0.0005"	±0.08mm/±0.003"
PC810-150	0-150mm/0-6"	0.01mm/0.0005"	±0.08mm/±0.003"
PC730F-150	0-150mm/0-6"	0.01mm/0.0005"/1/64"	±0.08mm/±0.003"/1/64"

### Digital Depth Gauge

Order No.	Range	Resolution	Accuracy
SD710A-100	0-100mm/0-4"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710A-150	0-150mm/0-6"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710A-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710A-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
SD710A-500	0-500mm/0-20"	0.01mm/0.0005"	±0.06mm/±0.0025"
SD710B-100	0-100mm/0-4"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710B-150	0-150mm/0-6"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710B-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710B-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
SD710B-500	0-500mm/0-20"	0.01mm/0.0005"	±0.06mm/±0.0025"
SD710C-100	0-100mm/0-4"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710C-150	0-150mm/0-6"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710C-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
SD710C-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
SD710C-500	0-500mm/0-20"	0.01mm/0.0005"	±0.06mm/±0.0025"



### Heavy Duty Digital Caliper

Order No.	Range	Resolution	Accuracy
CD960-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.002"
CD960-500	0-500mm/0-20"	0.01mm/0.0005"	±0.05mm/±0.002"
CD960A-600	0-600mm/0-24"	0.01mm/0.0005"	±0.07mm/±0.003"
CD960A-1000	0-1000mm/0-40"	0.01mm/0.0005"	±0.07mm/±0.003"



### Micrometers

Order No.	Range	Resolution	Accuracy
MD310-25	0-25mm/0-1"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD310-50	25-50mm/1-2"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD310-75	50-75mm/2-3"	0.001mm/0.00005"	±0.004mm/±0.00015"
MD310-100	75-100mm/3-4"	0.001mm/0.00005"	±0.005mm/±0.0002"
MD320-25	0-25mm/0-1"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD320-50	25-50mm/1-2"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD320-75	50-75mm/2-3"	0.001mm/0.00005"	±0.004mm/±0.00015"
MD320-100	75-100mm/3-4"	0.001mm/0.00005"	±0.005mm/±0.0002"
MD710-25	0-25mm/0-1"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD710-50	25-50mm/1-2"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD710-75	50-75mm/2-3"	0.001mm/0.00005"	±0.004mm/±0.00015"
MD710-100	75-100mm/3-4"	0.001mm/0.00005"	±0.005mm/±0.0002"
MA210-25	0-25mm/0-1"	0.01mm/0.0001"	±0.004mm/±0.00015"
MA210-50	25-50mm/1-2"	0.01mm/0.0001"	±0.004mm/±0.00015"
MA210-75	50-75mm/2-3"	0.01mm/0.0001"	±0.005mm/±0.0002"
MA210-100	75-100mm/3-4"	0.01mm/0.0001"	±0.005mm/±0.0002"
MC210-25	0-25mm/0-1"	0.01mm/0.0001"	±0.004mm/±0.00015"
MC210-50	25-50mm/1-2"	0.01mm/0.0001"	±0.004mm/±0.00015"
MC210-75	50-75mm/2-3"	0.01mm/0.0001"	±0.005mm/±0.0002"
MC210-100	75-100mm/3-4"	0.01mm/0.0001"	±0.005mm/±0.0002"
MC310	0.3-1.3"	0.0001"	±0.00016"
MC310	0.3-1.7"	0.0001"	±0.00016"
MC310	7-32mm	0.01mm	±0.004mm
MC310	10-45mm	0.01mm	±0.004mm
MB310	0.3-1.3"	0.0001"	±0.00016"
MB310	0.3-1.7"	0.0001"	±0.00016"
MB310	7-32mm	0.01mm	±0.004mm
MB310	10-45mm	0.01mm	±0.004mm
MD320-H-25	0-25mm/0-1.0"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD320-H-50	0-50mm/0-2.0"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD710-H-25	0-25mm/0-1.0"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD710-H-50	0-50mm/0-2.0"	0.001mm/0.00005"	±0.003mm/±0.00015"
MD710-B-25	0-25mm/0-1"	0.001mm/0.0005"	±0.003mm/±0.00015"
MD710-B-50	25-50mm/1-2"	0.001mm/0.0005"	±0.003mm/±0.00015"
MD710-B-75	50-75mm/2-3"	0.001mm/0.0005"	±0.004mm/±0.00015"
MD710-B-100	75-100mm/3-4"	0.001mm/0.0005"	±0.005mm/±0.0002"
MD710-DP-25	0-25mm/0-1"	0.001mm/0.0005"	±0.003mm/±0.00015"
MD710-DP-50	25-50mm/1-2"	0.001mm/0.0005"	±0.003mm/±0.00015"
MD710-DP-75	50-75mm/2-3"	0.001mm/0.0005"	±0.004mm/±0.00015"
MD710-DP-100	75-100mm/3-4"	0.001mm/0.0005"	±0.005mm/±0.0002"
MD710-P-25	0-25mm/0-1"	0.001mm/0.0005"	±0.003mm/±0.00015"
MD710-P-50	25-50mm/1-2"	0.001mm/0.0005"	±0.003mm/±0.00015"
MD710-P-75	50-75mm/2-3"	0.001mm/0.0005"	±0.004mm/±0.00015"
MD710-P-100	75-100mm/3-4"	0.001mm/0.0005"	±0.005mm/±0.0002"
MD710-D-25	0-25mm/0-1"	0.001mm/0.0005"	±0.003mm/±0.00015"
MD710-D-50	25-50mm/1-2"	0.001mm/0.0005"	±0.003mm/±0.00015"
MD710-D-75	50-75mm/2-3"	0.001mm/0.0005"	±0.004mm/±0.00015"
MD710-D-100	75-100mm/3-4"	0.001mm/0.0005"	±0.005mm/±0.0002"
MA310C-6.5/0.25	0-6.5mm/0-0.25"	0.01mm/0.001"	±0.004mm/±0.00016"
MA310C-13/0.5	0-13mm/0-0.5"	0.01mm/0.001"	±0.004mm/±0.00016"
MA310C-25/1	0-25mm/0-1"	0.01mm/0.001"	±0.004mm/±0.00016"
MA310C-50/2	0-50mm/0-2"	0.01mm/0.001"	±0.004mm/±0.00016"
MA310-6.5/0.25	0-6.5mm/0-0.25"	0.01mm/0.001"	±0.004mm/±0.00016"
MA310-13/0.5	0-13mm/0-0.5"	0.01mm/0.001"	±0.004mm/±0.00016"
MA310-25/1	0-25mm/0-1"	0.01mm/0.001"	±0.004mm/±0.00016"
MA310-50/2	0-50mm/0-2"	0.01mm/0.001"	±0.004mm/±0.00016"
MAR310C-6.5/0.25	0-6.5mm/0-0.25"	0.01mm/0.001"	±0.004mm/±0.00016"
MAR310C-13/0.5	0-13mm/0-0.5"	0.01mm/0.001"	±0.004mm/±0.00016"
MAR310C-25/1	0-25mm/0-1"	0.01mm/0.001"	±0.004mm/±0.00016"
MAR310C-50/2	0-50mm/0-2"	0.01mm/0.001"	±0.004mm/±0.00016"
MAR310-6.5/0.25	0-6.5mm/0-0.25"	0.01mm/0.001"	±0.004mm/±0.00016"
MAR310-13/0.5	0-13mm/0-0.5"	0.01mm/0.001"	±0.004mm/±0.00016"
MAR310-25/1	0-25mm/0-1"	0.01mm/0.001"	±0.004mm/±0.00016"
MAR310-50/2	0-50mm/0-2"	0.01mm/0.001"	±0.004mm/±0.00016"





### Electronic Indicators

Order No.	Range	Resolution	Accuracy
ID210-12	0-12.7mm/0-0.5"	0.01mm/0.0005"	±0.02mm/±0.001"
ID210-25	0-25.4mm/0-1.0"	0.01mm/0.0005"	±0.03mm/±0.0012"
ID220-12	0-12.7mm/0-0.5"	0.01mm/0.0005"	±0.02mm/±0.001"
ID220-25	0-25.4mm/0-1.0"	0.01mm/0.0005"	±0.03mm/±0.0012"
ID220F-12	0-12.7mm/0-0.5"	0.01mm/0.0005"/1/128'	±0.02mm/±0.001"/1/128'
ID220F-25	0-25.4mm/0-1.0"	0.01mm/0.0005"/1/128'	±0.03mm/±0.0012"/1/128'
ID310-12	0-12.7mm/0-0.5"	0.001mm/0.00005"	±0.003mm/±0.0001"
ID310-25	0-25.4mm/0-1.0"	0.001mm/0.00005"	±0.005mm/±0.0002"
ID320-12	0-12.7mm/0-0.5"	0.001mm/0.00005"	±0.003mm/±0.0001"
ID320-25	0-25.4mm/0-1.0"	0.001mm/0.00005"	±0.005mm/±0.0002"



### Digital Height Gauge

Order No.	Range	Resolution	Accuracy
HD620-150	0-150mm/0-6"	0.01mm/0.0005"/1/128'	±0.02mm/0.001"/1/128'
HD620A-100	0-100mm/0-4"	0.01mm/0.0005"	±0.02mm/±0.001"
HD620A-150	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
HD620A-200	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
HD620A-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
HD510-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
HD510-600	0-600mm/0-24"	0.01mm/0.0005"	±0.06mm/±0.0025"
HD210-300	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
HD210-600	0-600mm/0-24"	0.01mm/0.0005"	±0.06mm/±0.0025"



### Digital Scale

Order No.	Range	Resolution	Accuracy
ZD210/ZD220	0-100mm/0-4"	0.01mm/0.0005"	±0.02mm/±0.001"
ZD210/ZD220	0-150mm/0-6"	0.01mm/0.0005"	±0.02mm/±0.001"
ZD210/ZD220	0-200mm/0-8"	0.01mm/0.0005"	±0.03mm/±0.0015"
ZD210/ZD220	0-300mm/0-12"	0.01mm/0.0005"	±0.04mm/±0.0015"
ZD210/ZD220	0-500mm/0-20"	0.01mm/0.0005"	±0.06mm/±0.0025"
ZD210/ZD220	0-1000mm/0-40"	0.01mm/0.0005"	±0.08mm/±0.003"
ZD210F/ZD220F	0-100mm/0-4"	0.01mm/0.0005"/1/128'	±0.02mm/±0.001"/1/128'
ZD210F/ZD220F	0-150mm/0-6"	0.01mm/0.0005"/1/128'	±0.02mm/±0.001"/1/128'
ZD210F/ZD220F	0-200mm/0-8"	0.01mm/0.0005"/1/128'	±0.03mm/±0.0015"/1/128'
ZD210F/ZD220F	0-300mm/0-12"	0.01mm/0.0005"/1/128'	±0.04mm/±0.0015"/1/128'
ZD210F/ZD220F	0-500mm/0-20"	0.01mm/0.0005"/1/128'	±0.06mm/±0.0025"/1/128'
ZD210F/ZD220F	0-1000mm/0-40"	0.01mm/0.0005"/1/128'	±0.08mm/±0.003"/1/128'




### Digital Display

Order No.	Range	Resolution	Accuracy
ZD250-150	0-150mm/0-6"	0.01mm/0.0005"	±0.05mm/±0.002"
ZD250-200	0-200mm/0-8"	0.01mm/0.0005"	±0.06mm/±0.002"
ZD250-300	0-300mm/0-12"	0.01mm/0.0005"	±0.08mm/±0.003"
ZD250-600	0-600mm/0-24"	0.01mm/0.0005"	±0.10mm/±0.004"
ZD250-1000	0-1000mm/0-40"	0.01mm/0.0005"	±0.12mm/±0.005"




### Depth Gauge

Order No.	Range	Resolution	Accuracy
TG710-25	0-25mm/0-1"	0.01mm/0.0005"	±0.03mm/±0.0012"
TG730-25	0-25mm/0-1"	0.01mm/0.0005"	±0.03mm/±0.0012"
TG810-25	0-25mm/0-1"	0.01mm/0.0005"	±0.03mm/±0.0012"
TG730F-25	0-25mm/0-1"	0.01mm/0.0005"/1/128'	±0.03mm/±0.0012"/1/128'



### Multi Depth Gauge

Order No.	Range	Resolution	Accuracy
TG710M-25	0-25mm/0-1"	0.01mm/0.0005"	±0.03mm/±0.0012"
TG730M-25	0-25mm/0-1"	0.01mm/0.0005"	±0.03mm/±0.0012"
TG810M-25	0-25mm/0-1"	0.01mm/0.0005"	±0.03mm/±0.0012"
TG730MF-25	0-25mm/0-1"	0.01mm/0.0005"/1/128'	±0.03mm/±0.0012"/1/128'



### Digital Thickness Gauge

Order No.	Range	Resolution	Throat depth
TD220-10	0-10mm/0-0.5"	0.01mm/0.0005"	30mm
TD220-10	0-10mm/0-0.5"	0.01mm/0.0005"	60mm
TD220-10	0-10mm/0-0.5"	0.01mm/0.0005"	120mm
TD220-25	0-25mm/0-1.0"	0.01mm/0.0005"	30mm
TD220-25	0-25mm/0-1.0"	0.01mm/0.0005"	60mm
TD220-25	0-25mm/0-1.0"	0.01mm/0.0005"	120mm
TD230-25	0-25mm/0-1.0"	0.01mm/0.0005"	/
DS730-25	0-25mm/0-1.0"	0.01mm/0.0005"	/
TD230B-6	0-150mm/0-6"	0.01mm/0.0005"	±0.2mm/±0.01"
TD230C-6	12.7-165mm/0.5-6.5"	0.1mm/0.005"	±0.2mm/±0.01"
TD230E-6	0-150mm/0-6"	0.01mm/0.0005"	±0.2mm/±0.01"
TD230E-8	0-200mm/0-8"	0.01mm/0.0005"	±0.3mm/±0.01"
TD230F-6	12.7-165mm/0.5-6.5"	0.1mm/0.005"	±0.2mm/±0.01"
TD230F-8	12.7-216mm/0.5-8.5"	0.1mm/0.005"	±0.3mm/±0.01"



### Digital Level

Order No.	Range	Resolution	Accuracy	Weight
LD220	0-360°	0.05°	±0.2°	0.2KGS
LD230	0-360°	0.05°	±0.2°	0.5KGS



### Digital Level

Order No.	Range	Resolution	Accuracy
LD260-6	0-6"	0.05°	±0.2°
LD260-9	0-9"	0.05°	±0.2°
LD260-24	0-24"	0.05°	±0.2°
LD260-48	0-48"	0.05°	±0.2°

### Protractor



Miter Gauge

PD220

PD220-A

Feature :

- \*High resolution : 0.05°;
- \*Locking handle locks miter head securely in position;
- \*Magnetic blade attachment for blade to table squaring and angle adjustment;
- \*Zero set at any position;
- \*Measuring range : ±85°

Universal Miter Head Mounting Bracket for direct attachment of auxiliary fences (Optional fence not included)

Auxiliary Fence (not incl.) can also be attached using Mounting Bracket method



Miter Head Position - Locks in easily with easily 4" High x 1" diameter post handle



Order No.	Range	Resolution	Accuracy
PD230-100	0-100mm/0-4"	0.05°	±0.2°
PD230-200	0-200mm/0-8"	0.05°	±0.2°
PD230-300	0-300mm/0-12"	0.05°	±0.2°

PD230



PD270

PD270-C

### Mini-Miter Gauge

Feature :

- \*High resolution : 0.05°;
- \*Zero set at any position;
- \*Measuring range : 360°;
- \*Lock screw locks the measuring angle securely in any position;
- \*Revers reading for all of condition.

Feature :

- \*High resolution : 0.05°;
- \*Zero set at any position;
- \*Measuring range : 360°
- \*Lock screw locks the measuring angle securely angle securely in position;
- \*Revers reading for all of condition.



PD280

PD290

Feature :

- \*High resolution : 0.05°;
- \*Zero set at any position;
- \*Measuring range : 0-180°
- \*Lock screw locks the measuring angle securely in any position;
- \*Revers reading for all of condition.

Order No.	Range	Resolution	Accuracy
PD290-200	0-200mm/0-8"	0.05°	±0.2°
PD290-300	0-300mm/0-12"	0.05°	±0.2°

### Disk Brake Caliper



DB710

CD520

DG950

Function :

- \*Range : 0-150mm/0.6"
- \*Resolution : 0.01mm/0.0005"

Order No.	Range	Resolution	Accuracy
DG950-500	0-500mm/0-20"	0.01mm/0.0005"	±0.05mm/±0.002"



www.ain-mall.com

수입판매원 : TNS Tech

www.tns-tech.com

E-mail : nsksk@tns-tech.com

Seoul Office : 서울특별시 구로구 구로2동 1258 중앙유통단지 바동 1225-6호  
Tel. (02)2618-0979, 6092-4989 Fax. (02)6092-4987

China Office : A Qu B1010, MingHe-DianZi GuangChang, ShangSha, ChangAn Country,  
DongGuan City, GuangDong Province, CHINA  
Tel. +86 769 8176 4181 Fax. +86 769 8564 3921

23232143109430991-3049`0239`2390`2392`23

123232143